



POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CYPERTHOR*
INSECTICIDE

ACTIVE CONSTITUENT:
50 g/L ALPHA-CYPERMETHRIN

GROUP 3A INSECTICIDE



For knockdown and surface residual control of cockroaches, spiders, silverfish, fleas, flies and ants in Industrial, Commercial, Domestic and Public Health situations.

APVMA Approval No. 58496/0210

ENSYSTEX AUSTRALASIA PTY LTD
ABN 53 102 221 965
Unit 3, The Junction Estate
4-6 Junction Street, Auburn NSW 2144
www.ensystex.com.au

*Trademark of Ensystex

CUSTOMER SERVICE 13 35 36
EMERGENCY RESPONSE (ALL HOURS) 13 35 36

ENSYSTEX
AUSTRALASIA
PTY LTD
www.ensystex.com.au

DIRECTIONS FOR USE

| SITUATION | PESTS | RATE | CRITICAL COMMENTS |
|---|---|---|--|
| Domestic, Public, Commercial & Industrial areas | Cockroaches, Flies, Spiders, Ants, Silverfish | Initial treatment 120-200 mL / 10 L Maintenance treatment 60-100 mL / 10 L | Apply as a coarse low-pressure surface spray to areas where pests hide, frequent and rest. Spray to the point of run-off using around 5 L of spray mixture per 100 m ² and ensuring thorough coverage of the treated surfaces. Where indicated, use the higher rate in situations where pest pressure is severe, and where rapid knockdown and/or maximum residual protection is desired. Pay particular attention to protected dark areas such as cracks and crevices, behind and under sinks, stoves, refrigerators, furniture, pipes & other known hiding or nesting places. |
| | Fleas | Initial treatment 200 mL / 10 L Maintenance treatment 100 mL / 10 L | Flea Treatment: Use the initial treatment rate for rapid knockdown and maximum residual protection and if necessary, repeat treatment using the maintenance rate at 12 weekly intervals to prevent reinfestation. |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

Cyperthor Insecticide is a powerful knockdown and residual insecticide. Pests are controlled by direct contact with the spray and also by residual action as they come into contact with treated surfaces. NOT to be used to control fleas on animals.

MIXING - SHAKE WELL BEFORE OPENING

This product is to be diluted with water prior to application. For best results, make a "premix" of the required amount of product with an equal volume of water and stir thoroughly. Fill sprayer to half of desired volume and add "premix". Agitate thoroughly and then fill sprayer to desired volume and agitate again to ensure proper mixing. Agitate prior to application if spraying is interrupted. Do not store diluted insecticide. Mix only the amount of insecticide needed for each application.

APPLICATION

Apply diluted insecticide by means of a knapsack sprayer or other suitable spraying equipment capable of delivering a coarse spray directly onto exposed surfaces frequented by pests. Spray to the point of run-off ensuring thorough coverage of all treated surfaces.

Insecticide Resistance Warning

GROUP 3A INSECTICIDE

For insecticide resistance management Cyperthor Insecticide is a Group 3A insecticide.

Some naturally-occurring insect biotypes resistant to Cyperthor Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Cyperthor Insecticide or other Group 3A insecticides are used repeatedly. The effectiveness of Cyperthor Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Ensystex Australasia Pty Ltd accepts no liability for any losses that may result from the failure of Cyperthor Insecticide to control resistant insects.

Cyperthor Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, Ensystex Australasia Pty Ltd representative or local agricultural department agronomist.

PRECAUTIONS

Avoid contact with food, food utensils or places where food is prepared or stored.

Before Use - remove or cover all exposed foodstuffs; cover all dishes and utensils, and places where food is prepared or stored.

After use - thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container, in a cool well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight. In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter and dispose of waste as indicated below. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Harmful if inhaled. Will irritate the eyes. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length PVC gloves. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Telephone Australia 131126.

MSDS:

Additional information is listed in the Material Safety Data Sheet available from the supplier.

NOTICE

Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Ensystex, or under abnormal conditions.