



CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

HYMENOPHTHOR™ ULTRA

LIQUID ANT KILLER

ACTIVE CONSTITUENT: 100 g/L FIPRONIL

GROUP 2B INSECTICIDE

For the control of ants around domestic and
commercial structures as specified in the
Directions for Use Table.

**TO BE USED BY LICENSED
PEST CONTROL OPERATORS ONLY**

ENSYSTEX AUSTRALASIA PTY LTD

ABN 53 102 221 965

Unit 3 The Junction Estate

4-6 Junction Street Auburn NSW 2144

www.ensystex.com.au

CUSTOMER SERVICE 13 35 36

EMERGENCY RESPONSE (ALL HOURS) 13 35 36

APVMA Approval No: 69421/60756

™ Trademark of Ensystex, Inc. used by licence to Ensystex Australasia Pty Ltd.

Contents:
1 Litre

HYMENOPHTHOR™ ULTRA

PRECAUTIONS

Residents and pets should not be allowed in a room being treated. Any spills should be cleaned up before leaving the room (refer to the MSDS).
Avoid application around edible plants.

RE-ENTRY PERIOD

DO NOT re-enter treated areas until spray has dried.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Wash hands after use. When opening the container, preparing spray and using the prepared spray wear chemical resistant clothing buttoned to the neck and wrist and a washable hat, half-facepiece respirator with combined dust and gas cartridge and elbow-length PVC or nitrile gloves. After each day's use, wash gloves, contaminated clothing and respirator and if rubber wash with detergent and warm water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MSDS

Additional information is listed in the Material Safety Data Sheet which is available from Ensystex on request. Call Customer Service on 13 35 36 or visit our web site at www.ensystex.com.au.

NOTICE

Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Ensystex, or under abnormal conditions.

DIRECTIONS FOR USE

SITUATION	PESTS	RATE	CRITICAL COMMENTS
External areas & surrounds of Domestic, Commercial, Public, and Industrial buildings & structures	Ants Including but not limited to: coastal brown ants (<i>Pheidole megacephala</i> Fabricius), black house ants (<i>Ochetellus glaber</i> Mayr), meat ants (<i>Iridomyrmex greensladei</i> and <i>Iridomyrmex purpureus</i>), white-footed house ants (<i>Tecnomymrmex albipes</i>)	60 mL in 10 L of water	Apply to trails, surfaces where ants are tracking and nests. Reapply as necessary. For perimeter or harbourage treatments, apply the prepared emulsion to a band of soil or vegetation up to two to three metres wide around and adjacent to the structure. Also treat the foundation of the structure to a height of approximately 300 mm. Use a spray volume of 5 L per 100 m ² . Higher volumes of water may be needed if organic matter is present or foliage is dense. Do not exceed the point of run-off. Pay particular attention to dark protected areas such as weep holes, cracks & crevices.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

GENERAL INSTRUCTIONS

Half fill the spray tank with water and then add the required quantity of HYMENOPHTHOR ULTRA. Stir and then top up the spray tank to the required volume. The use of this product in a tank mix with other insecticides is not recommended as the behaviour and efficacy of the product may be affected. Ensure equipment is free of leaks and clean from residues of other chemicals before mixing HYMENOPHTHOR ULTRA.

INSECTICIDE RESISTANCE WARNING **GROUP 2B INSECTICIDE**

For insecticide resistance management HYMENOPHTHOR ULTRA Liquid Ant Killer is a Group 2B insecticide. Some naturally-occurring insect biotypes resistant to HYMENOPHTHOR ULTRA Liquid Ant Killer and other Group 2B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if HYMENOPHTHOR ULTRA Liquid Ant Killer or other Group 2B insecticides are used repeatedly. The effectiveness of HYMENOPHTHOR ULTRA Liquid Ant Killer on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Ensystex Australasia Pty Ltd accepts no liability for any losses that may result from the failure of HYMENOPHTHOR ULTRA Liquid Ant Killer to control resistant insects. HYMENOPHTHOR ULTRA Liquid Ant Killer may be subject to specific resistance management strategies. For further information contact your Ensystex Australasia Pty Ltd representative or local agricultural department agronomist.

Batch No.:

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Highly toxic to fish and aquatic organisms. Do NOT apply to areas where surface water is present. Rinse waters and runoff from treated areas MUST be prevented from entering drains or waterways. Do NOT apply if heavy rains are expected to occur within 48 hours of application. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to bees.

PROTECTION OF PETS AND LIVESTOCK

Before spraying remove animals and pets from the areas to be treated. Cover or remove any open food and water containers. Cover or remove (as applicable) fish ponds, aquariums etc. before spraying.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple or (preferably) pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

DOM:

L-AU-CHEHU1000 1.01 02.13