## **CAUTION**

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# DIPTHOR® DUO

INSECTICIDE

ACTIVE CONSTITUENT: 25 g/L CYPERMETHRIN SOLVENT: 741 g/L LIQUID HYDROCARBON

GROUP 3A INSECTICIDE

For the knockdown control of adult mosquitoes, biting midges, flies and cockroaches in and around domestic, public service areas, agricultural buildings, commercial and industrial areas, refuse tips and breeding areas, as per the directions for use table.

Contents:

5 L

APVMA Approval No: 61559/0609



ENSYSTEX AUSTRALASIA PTY LTD ABN 53 102 221 965

ABN 53 102 221 965 Unit 3, The Junction Estate, 4-6 Junction Street, Auburn NSW 2144 www.ensystex.com.au

CUSTOMER SERVICE AND
EMERGENCY RESPONSE (ALL HOURS) 13 35 36

® Registered trademarks of Ensystex, Inc. used by licence to Ensystex Australasia Pty Ltd.

**ENSYSTEX®** 

## DIRECTIONS FOR USE

SITUATION	PESTS	RATE	CRITICAL COMMENTS
			Using thermal fogging or cold aerosol generating ULV equipment or hand held knapsack sprayer, spray into the air or onto surfaces used as harbourages by the target pests.
Outdoor areas including refuse tips, picnic areas, sports grounds, recreation areas, reserves, vector control and biting midge programs.		200 to 300 mL/ha applied neat or in a suitable oil-based diluent or water.	For best results apply when pests are active. Use the higher rate when environmental conditions are suboptimal, such as low humidity, high temperature, lack of breeze or dense vegetation.
			Midges - for effective control, DIPTHOR DUO must be mixed with a suitable oil based diluent such as DC Tron and not applied neat. Repeat when necessary as determined by management practices and environmental conditions.

## NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

## WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED. DO NOT SPRAY OVER WATER INTENDED FOR HUMAN CONSUMPTION

## GENERAL INSTRUCTIONS

#### MIXING

Dilute DIPTHOR DUO Insecticide with a suitable volume of oil (e.g. DC Tron), kerosene or water according to the equipment manufacturer's recommendations for the output rates RE-ENTRY PERIOD required. Do not store diluted insecticide, Prepare fresh spray as required.

#### APPLICATION

Diluted DIPTHOR DUO Insecticide should be applied uniformly using calibrated conventional ground-based or hand application equipment. These include thermal fogging equipment, cold aerosol generating ULV equipment, hand-held or knapsack sprayers. Applications should be in response to high target insect numbers, disease risk and pro-active pesticide PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: management.

## Insecticide Resistance Warning



For insecticide resistance management DIPTHOR DUO Insecticide is a Group 3A insecticide. Some naturally-occurring insect biotypes resistant to DIPTHOR DUO Insecticide and other STORAGE AND DISPOSAL: local agricultural department agronomist.

#### PRECAUTIONS

Do not allow spray to contact food, food preparation surfaces or utensils, Do not spray Empty containers and product should not be burnt. directly on humans, exposed food or food utensils. Never repack from this container.

thoroughly before food processing/serving resumes.

Dangerous to fish and aquatic invertebrates. Do not use over or immediately next to any FIRST AID: water body or water course. DO NOT contaminate streams, rivers or waterways with the If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. chemical or used containers. Remove or cover fish tanks and ponds before use.

#### PROTECTION OF LIVESTOCK

Dangerous to bees. DO NOT spray any plants in flower while bees are foraging. Spray in the night or early morning when bees are not actively foraging.

Group 3A insecticides may exist through normal genetic variability in any insect population. Store in the closed, original container, in a cool well-ventilated area away from children, in accordance with Directions for Use under normal conditions of use. No warranty of The resistant individuals can eventually dominate the insect population if DIPTHOR DUO animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight. In case merchantability or fitness for a particular purpose, express or implied, extends to the use Insecticide or other Group 3A insecticides are used repeatedly. The effectiveness of DIPTHOR of spillage, confine and absorb spilled product with absorbent material such as sand, clay of the product contrary to label instructions or under offlabel permits not endorsed by DUO Insecticide on resistant individuals could be significantly reduced. Since occurrence of or cat litter and dispose of waste as indicated below or according to Australian Standard Ensystex, or under abnormal conditions. resistant individuals is difficult to detect prior to use, Ensystex Australasia Pty Ltd accepts '2507 - Storage and Handling of Pesticides', DO NOT allow spilled product to enter sewers, no liability for any losses that may result from the failure of DIPTHOR DUO insecticide to drains, creeks or any other waterways. Triple or preferably pressure rinse containers before control resistant insects, DIPTHOR DUO Insecticide may be subject to specific resistance disposal, Add rinsings to spray tank, Do not dispose of undiluted chemicals on site, If management strategies. For further information contact Ensystex Australasia Pty Ltd or your recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill If no landfill is available, bury the containers below 500 mm in a disposal pit specifically

marked and set up for this purpose clear of waterways, desirable vegetation and tree roots.

## SAFFTY DIRECTIONS

Harmful if inhaled. May irritate the eyes and skin. Facial skin contact may cause temporary DO NOT allow entry into area where chemical fog is still present. When prior entry is facial numbness, Sensitive workers should use protective clothing. Do not inhale soray mist. necessary, wear cotion overalls (or equivalent clothing), a washable hat, elbow length PVC Avoid contact with eyes and skin. When using the product wear cotton overalls buttoned to gloves and respirator. Clothing must be washed after each day's use. In enclosed buildings, the neck and wrist, washable hat, elbow-length PVC gloves and face shield or goggles and half wait until chemical fog clears after treatment, then thoroughly ventilate treated area, Clean facepiece respirator. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves, respirator and if rubber wash with detergent and warm water, face shield or goggles and contaminated clothing.

Additional information is listed in the Safety Data Sheet.

Ensystex Australasia Ptv Ltd (Ensystex) warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used

Batch No.: Date of Manufacture:

L-AU-CHEDI1004 3.02 07.21