

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

EXOTH®R

INSECT GROWTH REGULATOR

ACTIVE CONSTITUENT: 200 g/kg DIFLUBENZURON

GROUP I TO INSECTICIDE

For the prevention of adult emergence of house flies, fleas and cockroaches.

> **ENSYSTEX AUSTRALASIA PTY LTD** ABN 53 102 221 965

Unit 3 The Junction Estate 4-6 Junction Street Auburn NSW 2144

www.ensystex.com.au **CUSTOMER SERVICE FREECALL 13 35 36**

™ Trademark of Ensystex, Inc. used by licence to Ensystex Australasia Pty Ltd.

Net Contents:

MA APPROVAL NO: 69329/60510

DIRECTIONS FOR USE:

SITUATION	PEST	RATE	CRITICAL COMMENTS
Internal and external areas associated with domestic, commercial, industrial, rural and public buildings and facilities (including food processing establishments)	House flies Musca domestica	37.5 g or 75 g per 10 L of water	Apply to fly breeding areas at a rate of 500 mL per square metre. Use the higher rate for best results or where fly populations are larger.
			Use the lower rate for maintenance treatments or when fly populations are smaller.
		15 g / 4 square metres	Apply the dry granules directly to the surface of the manure or fly breeding media. Granules can be incorporated into the media if required, but this is not essential for good results.
	Cockroaches and fleas	Initial treatments: 150 g / 10 L of water	Apply as a coarse spray at the rate of 1 L per 20 m², or to the point of run-off which will vary with the nature of the surface. Reapply when signs of infestation reappear. Flea Control: It is recommended that premises are vacuumed and contents of vacuum bag removed before treatment takes place. This is particularly important where adult fleas are present. Ensure pets are treated with a suitable registered insecticide to avoid re-infestation of the treated premises.
		Maintenance treatments: 75 g / 10 L of water	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

ENSYSTEX'



GENERAL INSTRUCTIONS

Always keep unused product as dry as possible.

After mixing with water, shake the product thoroughly before use. EXOTHOR prevents the emergence of adult house flies, cockroaches and fleas. Applied to breeding areas, EXOTHOR will prevent pest populations from building up to problem levels.

Insecticide Resistance Warning

GROUP I T INSECTICIDE

Some naturally-occurring insect biotypes resistant to EXOTHOR and other Group 15 insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if EXOTHOR or other Group 15 insecticides are used repeatedly. The effectiveness of EXOTHOR on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Ensystex Australasia Pty Ltd accepts no liability for any losses that may result from the failure of EXOTHOR to control resistant insects.

EXOTHOR may be subject to specific resistance management strategies. For further information contact Ensystex Australasia Pty Ltd or a local agricultural department agronomist.

COMPATIBILITY

EXOTHOR is compatible with most adulticides such as BITHOR, MAXXTHOR and CYPERTHOR. A tank mix of EXOTHOR with a knockdown adulticide product can be used when quick insecticidal action is required.

PRECAUTIONS

Avoid contact with food, food utensils or places where food is prepared or stored. Before use – remove or cover all exposed food stuffs. Cover all dishes or utensils, and places where food is prepared or stored. DO NOT apply as a general indoor surface spray. Do not spray the moving parts of machinery, electric motors or switch gear.

RE-ENTRY PERIOD

Do not enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing), and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple or (preferably) pressure rinse containers before disposal. Add rinsings to the spray tank. Do NOT dispose of undiluted chemicals on site. If recycling, replace cap and return dean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes. May irritate the skin. Avoid contact with eyes and skin. When opening the container, mixing and loading, preparing spray, and using prepared spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves and goggles. If product or spray in eyes, wash it out immediately with water. Wash hands after use. After each day's use wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet for EXOTHOR which is available from Ensystex on request. Call Customer Service 13 35 36 or visit our web site at www.ensystex.com.au.

NOTICE

Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Ensystex, or under abnormal conditions

Batch No.:

Date of Manufacture:

L-AU-CHEEX1000 1.03 11.16

ENSYSTEX