KEEP OUT OF REACH OF CHILDREN

PERMETHOR® INSECTICIDAL DUST

ACTIVE INGREDIENT:

CONTAINS 10 g/kg PERMETHRIN IN THE FORM OF A DUST.

A ready to use dust treatment for the control of cockroaches, spiders, ants, fleas, silverfish, bed bugs, hide beetles and European wasps

Contents:

5 kg

ENSYSTEX NEW ZEALAND LTD

17C Corinthian Drive Albany, Auckland 0752

www.ensystex.co.nz

0800 ENSYSTEX (0800 367 978)

APPROVED PURSUANT TO THE HSNO ACT 1996, APPROVAL CODE: HSR000272
MPI APPROVED TYPE B (ALL ANIMAL PRODUCT EXCEPT DAIRY)

® Registered Trademark of Ensystex Inc., and used under licence by Ensystex New Zealand

ENSYSTEX

HSNO Classifications: 6.5A, 6.5B, 6.9B, 9.1A, 9.4B

This substance must be under the personal control of an approved handler when it is used by a commercial contractor.

TOXICITY

Toxic - may cause respiratory sensitisation.

Harmful – may cause skin sensitisation from prolonged contact, and internal organ damage from repeated oral exposure at high doses.

ECOTOXICITY

Very toxic to fish and aquatic organisms. Avoid contamination of any water supply with chemical or empty container.

Toxic to bees and other terrestrial invertebrates.

PRECAUTIONS

Keep out of reach of children. Avoid contact with skin and eyes and inhalation of dust. When applying wear goggles, gloves and a disposable dust mask. Wash hands and exposed skin before meals and after work.

DIRECTIONS FOR USE

A non-systemic insecticide with contact and stomach action, having a slight repellent effect.

PRECAUTIONS:

It is an offence to use this product on animals.

This substance shall not be applied onto or into water.

Avoid contact with food, food utensils, or places where food is prepared or stored.

Before use, remove or cover all exposed foodstuffs. Cover all dishes and utensils, and places where food is prepared or stored.

Do NOT apply dust directly to humans and pets.

Cover or remove fish ponds or aquariums etc. before dusting.

SITUATION	INSECT PESTS	TREATMENT RATE	CRITICAL COMMENTS
Domestic and industrial premises: - Food preparation and storage areas - Living and sleeping areas Roof, floor and wall voids, and crawl spaces	Cockroaches, Silverfish	10 g/m² applied with a powder blower	Blow powder into cracks and crevices. Pay particular attention to warm, dark corners around cookers, fireplaces, radiators, stoves, pipes, rubbish chutes and places where liquid sprays may not be used.
	Ants		Sprinkle the powder along runs, on and around nests. If ants are invading domestic premises apply powder to routes by which they enter. Repeat as necessary.
	Fleas, carpet beetles		Dust powder over floor, brushing into carpet pile and blowing into areas where flea larvae develop.
	Bed bugs		Apply powder to bedsteads, bedsprings, mattresses, floor coverings, upholstered furniture, cracks in walls, behind torn wallpaper, joints in woodwork and other harbourages.
	Cockroaches, silverfish, ants, fleas, spiders, carpet beetles		Blow dust into all void areas, ensuring all surfaces are thoroughly treated. Repeat application if reinfestation occurs.
Wasp nests	European wasps (Vespula germanica)	125 to 250 g/ nest	Use hand duster and apply powder through entrance holes (125-250 g/nest according to size of nest and number of entrance holes). Treat at night wherever possible. Operators should wear clothing protective against the wasp including long-sleeved overalls buttoned at wrist and neck, gloves, hat and bee veil.
Skin and hide preparations	Hide beetles (Dermestes ater)	10 g/m ²	a) Place skins on drying racks and apply dust using a manual or motorised duster. b) Dust exposed edges of dried, baled skins.
House roof cavities	Bird mites (Ornithonyssus spp.)	10 g/m ²	Remove all bird's nests and introduce physical bird barriers to prevent reinfestation of bird mites.

FIRST AID

If swallowed wash out mouth with water but do not induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If contact in eyes flush with running water for 15 minutes. If hair or skin contact occurs, wash with plenty of soap and water.

STORAGE:

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight.

Disposal: Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit set up for this purpose, clear of waterways, desirable vegetation and tree roots. Do not burn empty containers but crush or puncture and bury below 500 mm in a disposal pit.

ΔΡΡΙ ΙΟΔΤΙΟΝ

This product is supplied ready to use and no further dilution is required and it should not be mixed with any other insecticide. After application and where appropriate the powder should be left undisturbed for as long as possible. When the use of a powder

blower is specified the equipment should be clean and free from any other insecticide residue. After use, the blower should be cleaned thoroughly.

SAFETY DATA SHEET:

Additional information is listed on the Safety Data Sheet for Permethor that is available from Ensystex on request. More information can be had from web site at www.ensystex.co.nz

WARRANT

Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label uses not endorsed by Ensystex, or under abnormal conditions.



Batch Number:

Date of Manufacture:

L-NZ-CHEPE1009 1.02 09.20