HARMFUL - ECOTOXIC KEEP OUT OF REACH OF CHILDREN

ULTRATHOR* WATER-BASED INSECTICIDE

ACTIVE INGREDIENTS:

CONTAINS 100 G/LITRE FIPRONIL
IN THE FORM OF A SUSPENSION CONCENTRATE.

For the control of a range of pests as per the Directions for Use in domestic, industrial and public health situations

Proprietor: FNSYSTEX NEW 7FALAND LTD

17C Corinthian Drive Albany, Auckland 0632

www.Ensystex.co.nz

CUSTOMER SERVICE 0800 ENSYSTEX (0800 367 978) 1 Litre

Contents:

Approved pursuant to the HSNO Act 1996, Approval Code: HSR100810

MPI Approved Type B (All animal product except dairy)

®™ Trademarks of Ensystex, Inc. used by licence to Ensystex New Zealand Ltd.

ENSYSTEX

ULTRATHOR WATER-BASED INSECTICIDE

GENERAL INSTRUCTIONS

ULTRATHOR is a water-based insecticide and has both contact and stomach activity. Ants and cockroaches are controlled by direct contact with the spray and also by the residual action as they come into contact with treated surfaces.

This substance must be under the personal control of ar approved handler when the substance is: (A) Applied in a wide dispersive manner; or

(B) Used by a commercial contractor.

PRECAUTIONS:

Ultrathor must NOT be applied onto or into water. It is an offence to use this product on animals.

Do NOT spray directly on humans, pets or animals.

Do NOT apply onto or into water.

Remove any animals or pets from areas to be treated.

Cover or remove any open food or water containers, fishponds and aquariums before spraying.

Avoid contact with food, food utensils or preparation surfaces.

Re-entry Period

Do NOT allow entry of persons or animals into uncovered treated areas until the spray has dried.

Storage

Store in closed original containers, in a cool, well ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Spillage: In case of spillage, confine and absorb spilled product with absorbent material such as sand, clay or cat litter. Dispose of waste in an appropriate landfill.

Disposal: Do not re-use empty container but triple or preferably pressure rise containers before disposal. Add nirsings to spray tank if recycling, replace cap and return clean containers to recycler or designated collection point. Otherwise, do not burn but puncture, crush and bury empty containers in a local authority landfill. If no landfill is available, bury the containers blow/500 mm in a disposal pit clear of waterways, desirable vegetation and tree roots. Do not dispose of undituted chemicals on site but dispose either by dilution and use according to the Directions for Use table or returning to the point of purchase in the original container for controlled disposal.



ENSYSTEX®

HSNO Classifications: 6.1D, 6.4A, 6.5B, 6.9A, 9.1A, 9.3B, 9.4A

TOXICITY

Harmful - May be harmful if swallowed, inhaled or absorbed through the skin. May cause eye irritation, skin sensitisation from prolonged contact and internal organ damage from repeated oral exposure at high doses.

ECOTOXICITY

Very toxic to fish and aquatic organisms.

Avoid contamination of any water supply with product or empty container.

Harmful to terrestrial vertebrates.

Very toxic to terrestrial invertebrates such as bees. Spray must not be applied in areas where bees are foraging.

PRECAUTIONS

Keep out of reach of children. Avoid contact with skin and eyes and inhalation of spray

When mixing and applying wear protective clothing such as goggles, waterproof gloves, cotton overalls and boots. Wash hands and exposed skin before eating, drinking and after work. Wash gloves and protective clothing daily.

FIRST AID:

If swallowed wash out mouth with water. Do NOT induce vomiting but contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If contact in the eyes wash out with running water for at least 15 minutes. If split on skin or hair wash with plenty of soap and water.

DIRECTIONS FOR USE

Half fill the spray tank with water and then add the required quantity of ULTRATHOR. Stir and then top up the spray tank to the required volume. The use of this product in a tank mix with other insecticides is not recommended as the behaviour and efficacy of the product may be affected. Ensure equipment is free of leaks and clean from residues of other chemicials before mixing ULTRATHOR.

SITUATIONS	PESTS	RATE / 5 L WATER	CRITICAL COMMENTS
Enternal areas associated with domestic, commercial, industrial, and public buildings: including food processing establishments, shops, factories, ships, offices, schools, storecoms, hoopitals, barracks, private houses.	Cockroaches	30 mL	Apply to external areas only. Apply to known and potential cockroach harbourages. A barrier application around areas where cockroach infestations may be originating is also suggested.
	Ants	15 – 30 mL	Apply to external areas only. Where possible locate the nest and spray directly into nest entrances. Penetration of insectiodic can be assisted by pre-wetting sandy and porous soils with water. A thorough soaking treatment is required to destroy the nest. If nest cannot be located then spray infested areas such as trails.
	Darkling beetles, fleas, spiders, ticks, centipedes, cluster flies, earwigs, millipedes, silverfish, wasps and other crawling insect pests	15 – 30 mL	Apply at low pressure to the exterior only of structures where pests enter, trail around the structure or where they crawl and hide. Also apply around any exterior openings where pests could enter such as around doors, windows, vents, pipes, cracks, or driftled holes. It may be applied as a foam treatment for application into cavity walls.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet for ULTRATHOR and is available from Ensystex on request or at the web site: www.Ensystex.co.nz.

WARRANTY

Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Ensystex, or under abnormal conditions.

Batch No.:

Date of Manufacture:

ENSYSTEX®

L-NZ-CHEUL1006 2.03 12.21